ELSEVIER

Volume 322, Numbers 1–2, 28 June 2001

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letters

First-principles electronic structure calculations of $Ba_5Si_2N_6$ with anomalous Si_2N_6 dimeric units L1
C.M. Fang, H.T. Hintzen (Eindhoven, The Netherlands), R.A. de Groot (Nijmegen and Groningen, The Netherlands) and G. de With (Eindhoven, The Netherlands)

Comparison of the catalytic effects of V, V_2O_5, VN, and VC on the hydrogen sorption of nanocrystalline Mg L5
W. Oelerich, T. Klassen and R. Bormann (Geesthacht, Germany)

The upper critical field in superconducting MgB_2 . . . . . L10
K.-H. Müller, G. Fuchs, A. Handstein, K. Nenkov, V.N. Narozhnyi and D. Eckert (Dresden, Germany)

Oxidation and electronic-specific heat of YB_2 . . . . . L14
Y. Song, S. Zhang and X. Wu (Beijing, China)

Thermodynamic analysis of crystallisation in amorphous solids L17
W. Sha (Belfast, UK)

Enthalpies of formation of binary systems of Ti, V, Mo and Hf with Ge L19
A. Yassin (Baghdad, Iraq), M. Gilbert and R. Castanet (Marseille, France)

Physics

Crystal structures of binary alloys between La, Ce and Pr under pressure 1
O. Degtyareva and W.B. Holzapfel (Paderborn, Germany)

U ternaries with ZrNiAl structure — lattice properties 7
L. Havela (Prague, Czech Republic and Karlsruhe, Germany), M. Diviš, V. Sechovský, A.V. Andreev (Prague, Czech Republic), F. Honda, G. Oomi (Kumamoto, Japan), Y. Méresse and S. Heathman (Karlsruhe, Germany)

Pd–Pt alloys: correlation between electronic structure and hydrogenation properties 14
I. Moysan (Is sur Tille and Dijon, France), V. Paul-Boncour (Thiais, France), S. Thiébaut (Is sur Tille, France), E. Sciora (Dijon, France), J.M. Fournier (St. Martin d'Hères, France), R. Cortes (Orsay, France), S. Bourgeois (Dijon, France) and A. Percheron-Guégan (Thiais, France)

Magnetic properties and magnetic structures of $RPtGe_2$ and $RIrGe_2$ (R=Gd–Er) compounds 21
A. Gil (Częstochowa, Poland), B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), A. Szytula (Kraków, Poland) and A. Zygmunt (Wroclaw, Poland)

Magnetic properties of Sm_6Fe_{23} crystal 37
H. Samata (Kobe, Japan), T. Uchida (Kanagawa, Japan), Y. Shimizu, S. Sato, S.M. Yashiro and Y. Nagata (Tokyo, Japan)

Magnetostriction and magnetic anisotropy in $TbFe_{11}TiH_x$ (x=0, 1) single crystals 42
S.A. Nikitin, I.S. Tereshina (Moscow, Russia and Wroclaw, Poland), V.N. Verbetsky, A.A. Salamova (Moscow, Russia), K.P. Skokov (Tver, Russia), N.Yu. Pankratov (Moscow, Russia), Yu.V. Skourski, N.V. Tristan (Wroclaw, Poland), V.V. Zubenko and I.V. Telegina (Moscow, Russia)

The electronic structure of the Laves phase intermetallics LnM_2 (Ln=Y, La–Lu, M=Mg, Al) and the $LaMg_2H_7$ and $CeMg_2H_7$ hydrides 45
E. Orgaz (México, D.F., Mexico)

Magnetic structures of the $TbCuSb_2$ compound 55
M. Kolenda, A. Oleś and A. Szytula (Kraków, Poland)

High-pressure synthesis of novel europium magnesium hydrides 59
H. Kohlmann, B. Bertheville (Genève, Switzerland), T. Hansen (Grenoble, France) and K. Yvon (Genève, Switzerland)

The structure and magnetic properties of $Gd_2Co_{17-x}Mn_x$ (x=0–4) compounds 69
Z.-g. Sun, S.-y. Zhang, H.-w. Zhang and B.-g. Shen (Beijing, PR China)

Elsevier Science B.V.

High-pressure synthesis of Yb_2Cu_2In and its physical properties 74
N. Tsujii, H. Kitô, H. Kitazawa and G. Kido (Ibaraki, Japan)

Heat capacity measurement of $BaUO_3$ 77
T. Matsuda, S. Yamanaka, K. Kurosaki, M. Uno and S.-i. Kobayashi (Osaka, Japan)

Magnetic properties of cubic and hexagonal chromium hydrides: a comparison of the magnetic susceptibility with the ^{53}Cr NMR Knight shift 82
J. Poźniak-Fabrowska, B. Nowak (Wrocław, Poland) and M. Tkacz (Warsaw, Poland)

Chemistry

New $MM'O_4$ oxides derived from the rutile type: synthesis, structure and study of magnetic and electronic properties 89
J. Isasi (Madrid, Spain)

Reactivity of V_2O_5, MoO_3 and WO_3 in molten KNO_3, studied by mass spectrometry 97
P. Afanasiev (Villeurbanne, France) and D.H. Kerridge (Southampton, UK)

Structures of the quaternary iron germanium antimonides $R_{1-x}(R,Fe)_6Ge_4(Ge,Sb)_2$ (R=Ti, Cr, Mn), filled derivatives of $FeGe_{1-x}Sb_x$ 103
A.M. Mills, E.J. Anderson and A. Mar (Edmonton, Canada)

Activity of SrO in $La_{1-x}Sr_xMnO_{3-y}$ (x=0.065, 0.10, 0.15 or 0.20) by a solid state EMF method 113
S. Arul Antony (Chennai, India), K. Swaminathan (Kalpakkam, India), K.S. Nagaraja (Chennai, India) and O.M. Sreedharan (Kalpakkam, India)

Dense WSi_2 and WSi_2–20 vol.% ZrO_2 composite synthesized by pressure-assisted field-activated combustion 120
I.J. Shon, D.H. Rho, H.C. Kim (Chonbuk, South Korea) and Z.A. Munir (Davis, CA, USA)

Structural disorder and magnetism of the semiconducting clathrate $Eu_8Ga_{16}Ge_{30}$ 127
B.C. Chakoumakos, B.C. Sales and D.G. Mandrus (Oak Ridge, TN, USA)

Synthesis, crystal structure and chemical bonding of a new La–In–Ge ternary phase: $La_{11}In_6Ge_4$ 135
J. Mao and A.M. Guloy (Houston, TX, USA)

Synthesis and investigation of plutonium oxide cluster ions: $Pu_xO_y^+$ ($x \leq 18$) 143
J.K. Gibson and R.G. Haire (Oak Ridge, TN, USA)

Crystal structure of $NaRbB_4O_5(OH)_4 \cdot 4H_2O$: comparison with other tetraborate hydrates 153
A. Ben Ali (Zarzouna, Tunisia and Le Mans, France), L.S. Smiri (Zarzouna, Tunisia) and V. Maisonneuve (Le Mans, France)

Metallurgy

Crystal structure of $TbNiSiD_{1.78}$ 160
H.W. Brinks, V.A. Yartys and B.C. Hauback (Kjeller, Norway)

The effects of Ti and Cr additions on the phase equilibria and properties of (Pt)/Pt_3Al alloys 166
P.J. Hill (Randburg and WITS, South Africa), L.A. Cornish (WITS, South Africa), P. Ellis (Randburg, South Africa) and M.J. Witcomb (WITS, South Africa)

The Nd–Cu–P system 176
R.O. Demchyna, S.V. Oryshchyn and Yu.B. Kuz'ma (L'viv, Ukraine)

Standard enthalpy of formation of $Al_{0.28}Fe_{0.72}$ at 298 K 184
Y. Feutelais, B. Legendre (Chatenay-Malabry, France), M. Guymont (Orsay, France) and P. Ochin (Vitry/Seine, France)

New $HfFe_6Ge_6$–$ScFe_6Ga_6$ intergrowth structures in $ScFe_6Ge_{6-x}Ga_x$ compounds ($0.5 \leq x \leq 5.5$) 190
G. Venturini (Vandoeuvre les Nancy, France)

Compositional inhomogeneity of Pd–Ag nanoparticles probed by hydrogen 198
H.-C. Chu, S.-R. Sheen, C.-T. Yeh and T.-P. Perng (Hsinchu, Taiwan)

Materials Science

Synthesis and structural characteristics of $LiCoO_2$ powders prepared by mechanical alloying of $LiOH \cdot H_2O$ and $Co(OH)_2$ . . . 205
W.T. Jeong and K.S. Lee (Seoul, South Korea)

New method of insertion of hydrogen in $R_2Fe_{16}Ti$ alloys with R=Y and Nd 211
M. Ellouze (Sfax, Tunisie), Ph. l'Héritier (Saint Martin d'Hères, France), A. Cheikh-Rouhou (Sfax, Tunisie) and J.C. Joubert (Saint Martin d'Hères, France)

Formation of a non-equilibrium nanocrystalline phase by chemical leaching of rod-milled $Al_{0.6}(Fe_{50}Cu_{50})$ alloy 214
H.-G. Kim, W.-N. Myung (Kwangju, South Korea), K. Sumiyama (Nagoya, Japan) and K. Suzuki (Tokyo, Japan)

Preparation and characterization of lithium doped indium sesqui-oxide 220
M. Sasaki, R. Kiyoshima, S. Kohiki, S. Matsushima (Kita-kyusyu, Japan), M. Oku and T. Shishido (Sendai, Japan)

Effects of Cu addition on the thermoelectric properties of hot-pressed β-$FeSi_2$ with SiC dispersion 226
M. Ito, H. Nagai, D. Harimoto, S. Katsuyama and K. Majima (Osaka, Japan)

Electrochemical properties of nanocrystalline (Zr,La)$(V,Ni)_{2.25}$ alloy 233
M. Jurczyk, W. Majchrzycki, M. Nowak and E. Jankowska (Poznań, Poland)

Calcination and sintering of fluorapatite under argon atmosphere 238
F. Ben Ayed, J. Bouaziz (Sfax, Tunisia) and K. Bouzouita (Monastir, Tunisia)

Characteristic of a new Mg–Ni hydrogen storage system: $Mg_{2-x}Ni_{1-y}Ti_xMn_y$ ($0<x<1$, $0<y<1$) alloys 246
H.-t. Yuan, R. Cao, L.-b. Wang, Y.-j. Wang, X.-p. Gao, H.-b. Yang, M.-z. Li and S.-f. Wang (Tianjin, PR China)

Characterization investigations of melt-spun ternary Al–xSi–3.3Fe (x=10, 20 wt.%) alloys 249
N. Ünlü, A. Genç, M.L. Öveçoğlu, N. Eruslu (Istanbul, Turkey) and F.H. Froes (Moscow, ID, USA)

Phase relations and hydrogenation behavior of $Sr_{1-x}Ca_xAl_2$ ($0\leq x\leq 1$) 257
Q.A. Zhang, H. Enoki and E. Akiba (Ibaraki, Japan)

Calorimetric studies on $Rb_2U_4O_{11}$(s) and $Tl_2U_4O_{11}$(s) 265
A. Banerjee, R. Prasad and V. Venugopal (Mumbai, India)

A study on the effect of nickel, cobalt or graphite addition on the electrochemical properties of an AB_5 hydrogen storage alloy and the mechanism of the effects 269
A. Yuan and N. Xu (Shanghai, PR China)

Solidification behavior in undercooled Nd–Fe–B alloys 276
S. Ozawa, T. Saito, J. Yu and T. Motegi (Chiba, Japan)

Electrochemical evaluation of sintered metal hydride electrodes for electric vehicle applications 281
J.-J. Jiang (Wuhan, China and Helsinki, Finland), M. Gasik, J. Laine and M. Lampinen (Helsinki, Finland)

Stability of the austenitic phase in ultra-fine particles of Fe-based alloys 286
W. Qin (Hunan and Guangxi, PR China) and Z.H. Chen (Hunan, PR China)

Preparation and characterization of PLZT ceramics using high-energy ball milling 290
L.B. Kong, J. Ma, W. Zhu and O.K. Tan (Nanyang, Singapore)

Energy transfer in $PbWO_4/Dy^{3+}$ luminescence 298
D. Zhou, Y. Chen, C. Shi, Y. Wei, H. Chen and M. Yin (Anhui, China)

Erratum

Erratum to 'Hydrogen occupancy, ^{1}H NMR spectrum and second moment of Zr_xNi_{1-x}–H metallic glasses'. [J. Alloys Comp. 313 (2000) 31–41] 302
G. Lasanda, P. Bánki and K. Tompa (Budapest, Hungary)

Author Index of Volume 322 303

Subject Index of Volume 322 305

Keyword list